

REHABILITATION FOLLOWING GLUTEUS MEDIUS REPAIR SMALL TEAR- TYPE I

Precautions:

- Weight Bearing as Tolerated (WBAT) 2-4 weeks with crutches
- No active hip abduction for 8 weeks
- No passive hip adduction

I. <u>Phase I – Immediate Postoperative Phase</u> Protective Phase (Day 1 to Week 6)

Goals: Gradually restore ROM & Flexibility
Diminish pain and inflammation
Restore muscular strength

Week 1:

- Crutches to control weight bearing forces (WBAT with crutches for 2-4 weeks)
- Perform knee to chest stretch (easy & pain-free- 5x hourly)
- Ankle pumps
- Gluteal sets
- Quad sets
- Heel slides
- AAROM Hip, PROM Hip & Knee
- Pelvic tilts
- Double leg bridges
- Prone positioning Prone on elbows, prone knee flexion
- Stationary bike @ 7 days post-op
- Standing adduction, extension, flexion without resistance
- Seated knee extensions
- UBE & upper body strengthening
- Pain dominant joint mobilizations (Grade I & II)

Week 2:

- Supine marching (90 deg)
- Seated heel raises
- Stationary bicycle (high seat & minimal resistance) flexion less than 90 deg
- 4-way ankle T-band on affected side (low resistance)
- Ankle pumps
- Joint mobilizations (Grades I & II) as needed
- Pool walking (water up to axillia region) march steps, lateral steps, backward walking, minisquats, heel raises

Week 3:

- Continue all exercises listed above
- Continue to perform AAROM & PROM exercises
- Straight leg raises flexion, add,
- Seated on stability ball (knee extensions, pelvic control exercises)

II. Phase II – Intermediate Phase: Moderate Protection Phase (Weeks 4-6)

Goals: Protect integrity of repaired labrum
Restore ROM within precautions
Diminish pain and inflammation
Prevent muscular inhibition
Normalize gait – WBAT

Criteria for progression to Phase II:

- 1) minimal pain with phase 1 exercise
- 2) 90 deg of pain-free flexion
- 3) Minimal ROM limitations with IR, extension and abduction
- 4) Normalized gait with FWB

Weeks 4-5:

- Gradually increase resistance on stationary bike
- Ant/post and med/lat weight shifts
- Pool program flutter kick swimming, 4 way hip with water weights
- Continue all ROM, flexibility & stretching exercises
- Initiate Isometric abduction
- Supermans

Week 6:

- Wean off crutches
- Clamshells
- PROM
 - ER 20 deg
 - Flexion 105 deg
- Manual PNF
- Superman in quadruped
- ¼ squats, mini wall squats
- Standing resisted 4 way hip
- Single leg bridges

III. Phase III – Advanced Exercise Phase (Weeks 7-8)

Goals: Protect integrity of repair

Increase ROM

Normalize gait without crutches

Progressively increase muscle strength and endurance

Initiate hip abduction strengthening

Criteria to enter Phase III:

- 1) 105 deg flexion, 20 deg ER
- 2) Pain free normal gait
- 3) Hip flexion strength >60% of uninvolved side
- 4) Hip abduction, extension, IR and ER strength >70% of uninvolved side

Week 7:

- Continue all stretching & flexibility exercises
- Restore full PROM
- Single leg stance with perturbation
- Physioball hamstring lifts
- Knee extensions
- Sidestepping with sport cord
- BOSU squats
- Initiate SLR abduction
- Leg press

Week 8:

- Full squats
- Single leg bridges
- Step ups
- · 4 way multi hip strengthening
- Lunge progression single plane → triplanar
- Forward/lateral cone walks with sport cords
- Single leg body squats

IV. Phase IV - Return to Activity Phase (Weeks 9>)

Goals: Restoration of muscular endurance/strength

Restoration of cardiovascular endurance

Optimize neuromuscular control/balance/proprioception

Gradually increase demands on hip

Criteria to enter Phase IV:

- 1) Hip flexion strength >70% of the uninvolved side
- 2) Hip abduction, adduction, extension, IR and ER >80% of uninvolved side
- 3) Cardiovascular fitness equal to pre-injury level
- 4) Demonstration of initial agility drills with proper body mechanics
- 5) No pain or tenderness with functional drills &/or activities

Weeks 9-11:

- All phase 3 exercises
- Pool running → Treadmill (walk/run intervals)
- Functional agility drills
 - Backward running
 - Side slides
 - Fast feet drills
 - Cone step overs
- Plyometric double and single leg jumps

Weeks 12+:

- Running progression
- Sports specific drills
- Traditional weight training

Criteria to Return to Competition:

- Full painfree ROM & flexibility
- Hip strength equal to opposite side
- Single leg pick up with level pelvis
- · Ability to perform sport specific drills at satisfactory level & without pain
- · Satisfactory Clinical Exam
- Approval by Physician